

# SAFETY DATA SHEET

Revision Date 01.03.2019

# 1. Product name and details of the supplier of the safety datasheet

Product name : Thallium(I) chloride

Company : Chikamochi Pure Chemical Co., Ltd.

1-9-16 Ohyodominami , Kita-ku,

Osaka, 531-0075

**JAPAN** 

**Telephone** :+81(0)6 6453-2062

Fax : +81(0)6 6453-2063

### 2. HAZARDS IDENTIFICATION

**[GHS Classification]** 

Acute toxicity, Oral (Category 2)

Acute toxicity, Inhalation (Category 2)

Specific target organ toxicity - repeated exposure (Category 2), Systemic toxicity

Acute aquatic toxicity (Category 2)

Chronic aquatic toxicity (Category 2)

[GHS Label elements, including precautionary statements]

Pictogram or Symbol







Signal word : Danger

Hazard statement(s)

H300 + H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs (Systemic toxicity) through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.



Precautionary statement(s)

Prevention

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P284 Wear respiratory protection.

Response

P301+P310+P330 IF SWALLOWED: Immedeately call a POISON CENTER/

doctor. Rinse mouth.

P304+P340+P310 IF INHALED: Remove person to fresh air and keep

comfortable for breathing.Immediately call a POISON

CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Storage

P403+P233 Store on a well-ventilated place. Keep container tightly

closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste

disposal plant.

[Other hazards] : none

# 3. Composition/information on ingredients

[Substances]

Formula : TICI

Molecular weight : 239.82 g/mol CAS No : 7791-12-0

Component	Classificatiion	Concentration
Thallium chloride		
	Acute Tox.2; STOT RE 2;	≧99%
	Aquatic Acute 2; Aquatic	
	Chronic 2; H300, H330, H373,	
	H401,H411	



# 4. Description of first aid measures

# [General advice]

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### (If inhaled)

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

### [In case of skin contact]

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

### [If swallowed]

Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician.

# [Most important symptoms and effects, both acute and delayed]

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop.

[Indication of any immediate medical attention and special treatment needed]

No data avilable

# 5. Firefighting measures

[Suitable extinguishing media]

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

[Special hazards arising from the substance or mixture]

No data available

# [Advice for firefighters]

Wear self-contained breathing apparatus for firefighting if necessary.

[Further information]



No data available

#### 6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Wear respiratory protection. Avoid dust formation. Avoid breathing Vapours, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

### [Environmental precautions]

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge Into the environment must be avoided.

[Methods and materials for containment and cleaning up]

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

[Reference to other sections]

For disposal see section 13.

# 7. Handling and storage

[Precautions for safe handling]

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

[Conditions for safe storage, including any incompatibilities]

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

[Specific end use(s)]

No data available

### 8. Exposure controls/personal protection

[Exposure controls]

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# [Personal protective equipment]

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under Appropriate government standards such as NIOSH(US) or EN166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100(US) or type P3(EN 143) respirator cartridge as a backup to engineering controls. If the respirator is the sole means of protection, Use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH(US) or CEN(EU).

# 9. Physical and chemical properties

Appearance Form: Powder

Colour: white

: No data available

Odour :No data available
Odour Threshold :No data available
pH :No data available

Melting point/freezing point :Melting point/range: 430°C- lit.

Initial boiling point and boiling range :No data available Flash point :Not data applicable :No data available Evaporation rate : No data available Flammability (solid, gas) Upper/lower flammability or explosive limits : No data available : 13 hPa at 517°C Vapour pressure : No data available Vapour density Relative density : 7 g/mL at 25°C : No data available Water solubility

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

# $1\ 0$ . Stability and reactivity

[Reactivity]

No data available

Partition coefficient: n-octano/water

[Chemical stability]



No data available.

[Possibility of hazardous reactions]

No data available

[Conditions to avoid]

Avoid moisture.

[Incompatible materials]

Strong oxidizing agents

[Hazardous decomposition products]

Hazardous decomposition products formed under fire conditions.-Hydrogen chloride gas, thallium oxides. Other decomposition products – No data available

# 1 1. Information on toxicological effects

[Acute toxicity]

LD50 Oral - Rat - 24 mg/kg

[Skin corrosion/irritation]

No data available

[Serious eye damage/eye irritation]

No data available

[Respiratory or skin sensitisation]

No data available

[Germ cell mutagenicity]

Genotoxicity in vitro – Hamster – Embryo

Morphological transformation.

[Carcinogenicity]

No data anailable

[Reproductive toxicity]

Developmental Toxicity – Rat – Oral

Specific Developmental Abnormalities: Musculoskeletal system.

[Specific target organ toxicity – single exposure]

No data available

[Specific target organ toxicity – repeated exposure]

May cause damage to organs through prolonged or repeated exposure.

[Aspiration hazard]

No data available

[potential health effects]

Inhalation May be fatal if inhaled. May cause respiratory tract irritation.

Ingestion May be fatal if swallowed.

Skin Harmful if absorbed through skin. May cause skin irritation.



Eyes May cause eye irritation.

[Signs and Symptoms of Exposure]

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., The most characteristic symptom of thallium exposure is alopecia (loss of hair). Cutaneous effects may include dry, scaly skin and impairment of nail growth often resulting in the appearance of crescent-shaped strips across fingernails and toenails (Mees' line). Other symptoms in acute poisoning relate chiefly to the gastrointestinal tract, nervous system, skin, eyes, and cardiovascular system. Acute poisoning results in swelling of the feet and legs, arthralgia, vomiting, insomnia, hyperesthesia and paresthesia of the hands and feet, mental confusion, polyneuritis with severe pain in the legs and loins, partial paralysis of the legs, angina-like pains, nephritis, wasting and weakness, and lymphocytosis and eosinophilia. In chronic poisoning, central and peripheral nervous system abnormalities may persist including ataxia, tremor, incoordination, paralysis of extremities, endocrine disorders, memory loss, and psychoses may develop.

[Additional Information]

RTECS: XG4200000

# 1 2. Ecological information

[Toxicity]

Toxicity to algae Growth inhibition EC50 – Ditylum brighywellii – 0.33 mg/l – 5 d

[Persistence and degradability]

Biodegradability Result: - Not readily biodegradable.

[Bioaccumulative potential]

No data available

[Mobility in soil]

No data available

[Results of PBT and vPvB assessment]

No data available

[Other adverse effects]

Toxic to aquatic life with long lasting effects.

### 1 3. Disposal considerations

[Waste treatment methods]

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.



Contaminated packaging

Dispose of as unused product.

### 1 4. Transport information

[UN number]

ADR/RID: 1707 IMDG: 1707 IATA-DGR: 1707

[UN proper shipping name]

ADR/RID: THALLIUM COMPOUND, N.O.S. (Thallium chloride)
IMDG: THALLIUM COMPOUND, N.O.S. (Thallium chloride)

IATA-DGR: Thallium compound, n.o.s. (Thallium chloride)

[Transport hazard class(es)]

ADR/RID: 6.1 IMDG: 6.1 IATA-DGR: 6.1

[Packaging group]

ADR/RID: II IMDG: II IATA-DGR: II

[Environmental hazards]

ADR/RID: yes IMDG Marine pollutant: yes IATA-DGR: no

[Special precautions for user]

No data available

### 1 5. Regulatory information

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

National regulatory information

Fire Service Law: Not applicable to dangerous materials

Poisonous and Deleterious Substances Control Law:

Not applicable

Industrial Safety and Health Law

Ordinance on Prevention of Hazards Due to Specified Chemical Substances:

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning:

Not applicable

Harmful Substances Required Permission for Manufacture:

Not applicable

Circular concerning Information on Chemicals having Mutagenicity – Annex 2: Information on

Existing Chemicals having Mutagenicity: Not applicable

Circular concerning Information on Chemicals having Mutagenicity – Annex 1: Information on

Notified Substances having Mutagenicity: Not applicable

Harmful Substances Prohibited from Manufacture:

Not applicable



Substances Subject to be Indicated Names:

Article 57 (Enforcement Order Article 18) -

Thallium chloride

Substances Prevented From Impairment of Health:

Not applicable

Ordinance on Prevention of Lead Poisoning: Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning:

Not applicable

Substances Subject to be Notified Names: Article 57-2 (Enforcement Order Table 9) –

Thallium chloride

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous

Substances): Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the

Environment and Promotion of Improvements to the Management Thereof:

Not applicable

Chemical Substance Control Law: Not applicable for Specified Chemical Substance,

Monitoring Chemical Substance and Priority

Assessment Chemical Substance.

### 1 6. Other information

[Further information]

Information contained in this material safety data sheet is offered without charge for use by technically qualified personnel at their discretion and risk. All statement, technical information and recommendations contained herein are based on tests and data which we believe to be reliable, but the accuracy or completeness thereof is not guaranteed no warranty of any kind is made with respect thereto.

This information is not intended as a license to operate under or a recommendation to practice or infringe any patent of this Company or others covering any process, composition of matter or use. Since the Company shall have no control of the use of the product described herein, the company assumes no liability for loss or damage incurred from the proper or improper use of such product.